

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4844427	@ad< "20031217" @rlad< "20031217"	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L2	98833	"370".das.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L3	1995	370/254.ccls.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L4	486	370/255.ccls.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L5	31	("6434638" or "6415280" or "6317438" or "6314491" or "6304980" or "6275888" or "6272386" or "6219710" or "6189079" or "6173374" or "6167432" or "6148383" or "6144992" or "6049823" or "6016478" or "6012096" or "5928326" or "5832195" or "5802278" or "5790553" or "5764982" or "5761421" or "4354229" or "6185618" or "6631449" or "20020147771" or "20020143855" or "20020103998" or "20020065919" or "20020114341" or "20020147815" ).pn.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L6	22	("5689706" "6782389" "6173293" "6839769" "6625604" "6748381" "6839769" "20020114341" "20020147815" "20020065919" "6636886" "6611872" "6643650" "6850987" "6667957" "6553031" "6091724" "5920566" "5918017" "6850987" "6871235" "6584075" "6088336" "5606669").pn.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L7	363	((establish start begin make create define setup construct) near (connect\$4 link)) with (node element host) with (already previous \$4 prior) with (link\$4 establish\$3 creat\$4 defin\$4 setup construct\$4)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37

L8	44	((establish start begin make create define setup construct) near (connect\$4 link)) with (node element host) with (already previous \$4 prior) with (link\$4 establish\$3 creat\$4 defin\$4 setup construct\$4)) and rout \$5 and tree and fail\$4	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L9	29	L8 and L1	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L10	14	link with node with order with random	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L11	4844427	@ad< "20031217" @rlad< "20031217"	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L12	8	L11 and L10	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L13	2	(random\$2 near2 (choos\$4 chos\$2)) with (node link) with (order near3 node)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L14	0	(peer adj peer) same ((random near2 (choos\$4 chos\$2)) with node)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L15	8	("peer-to-peer") same ((random near2 (choos\$4 chos\$2)) with node)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L16	7	L11 and L15	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L17	1460	("peer-to-peer").ab.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L18	2827	node with link with order	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L19	21	L17 and L18	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L20	20	L19 and L11	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L21	486	370/255.ccls.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L22	373	370/256.ccls.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L23	177	370/257.ccls.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L24	239	370/258.ccls.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L25	1995	370/254.ccls.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L26	4844427	@ad< "20031217" @rlad< "20031217"	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37

L27	1217	L26 and L25	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L28	388	L26 and L21	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L29	296	L26 and L22	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L30	162	L26 and L23	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L31	216	L26 and L24	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L32	14553	node near2 order\$4	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L33	148	L32 and L27	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L34	1847	(node near2 order\$4) with (next follow\$4 adjacent near \$4 closest close nearby)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L35	21	L34 and L27	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L36	8	L34 and L28	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L37	6	L34 and L29	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L38	1	L34 and L30	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L39	11	L34 and L31	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L40	6	(ring adj node) with link with order	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L41	4844427	@ed< "20031217" @riad< "20031217"	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L42	4	L41 and L40	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L43	6576	(peer adj peer) p2p	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L44	147	((peer adj peer) p2p) same (node with link)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L45	89	L41 and L44	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L46	18	((peer adj peer) p2p) same (node with link) same order	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L47	17	L41 and L46	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L48	1847	(node near2 order\$4) with (next follow\$4 adjacent near \$4 closest close nearby)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L49	18	L48 and L43	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37

L50	9	L41 and L49	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L51	5	((peer adj peer) p2p) same (node with link) same (overlay adj network)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L52	45	((peer adj peer) p2p) and (node with link) and (overlay adj network)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L53	9	L52 and L41	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L54	0	(root adj node) with link with random with (choos\$4 chos \$4)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L55	2	(root adj node) with link with random	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L56	284	(node with link with random)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L57	6576	(peer adj peer) p2p	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L58	9	L57 and L56	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L59	4844427	@ad<"20031217" @rlad<"20031217"	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L60	4	L59 and L58	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L61	20	(choos\$4 near2 node) with ((independent separate apart different distinct another second\$4 alternative) near (path rout \$4 map))	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L62	15	L59 and L61	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L63	0	(choos\$4 near2 node) with ((additional) near (path rout \$4 map))	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L64	0	(choos\$4 near2 node) with (("additional") near (path rout\$4 map))	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37

L65	22	("5689706" "6782389" "6173293" "6839769" "6625604" "6748381" "6839769" "20020114341" "20020147815" "20020065919" "6636886" "6611872" "6643650" "6850987" "6667957" "6553031" "6091724" "5920566" "5918017" "6850987" "6871235" "6584075" "6088336" "5606669").pn.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L66	4844427	@ad< "20031217" @rlad< "20031217"	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L67	44	((establish start begin make create define setup construct) near (connect\$4 link)) with (node element host) with (already previous \$4 prior) with (link\$4 establish\$3 creat\$4 defin\$4 setup construct\$4)) and rout \$5 and tree and fail\$4	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L68	29	L67 and L66	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L69	363	((establish start begin make create define setup construct) near (connect\$4 link)) with (node element host) with (already previous \$4 prior) with (link\$4 establish\$3 creat\$4 defin\$4 setup construct\$4)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L70	1995	370/254.ccls.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L71	486	370/255.ccls.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L72	31	("6434638" or "6415280" or "6317438" or "6314491" or "6304980" or "6275888" or "6272386" or "6219710" or "6189079" or "6173374" or "6167432" or "6148383" or "6144992" or "6049823" or "6016478" or "6012096" or "5928326" or "5832195" or "5802278" or "5790553" or "5764982" or "5761421" or "4354229" or "6185618" or "6631449" or "20020147771" or "20020143855" or "20020103998" or	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37

		"20020065919" or "20020114341" or "20020147815" ).pn.				
L73	98833	"370".clas.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L74	14	link with node with order with random	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L75	4844427	@ad< "20031217" @rlad< "20031217"	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L76	8	L75 and L74	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L77	8	("peer-to-peer") same ((random near2 (choos\$4 chos\$2)) with node)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L78	7	L75 and L77	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L79	2	(random\$2 near2 (choos\$4 chos\$2)) with (node link with (order near3 node)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L80	0	(peer adj peer) same ((random near2 (choos\$4 chos\$2)) with node)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L81	1460	("peer-to-peer").ab.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L82	2827	node with link with order	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L83	21	L81 and L82	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L84	20	L83 and L75	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L85	177	370/257.ccls.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L86	4844427	@ad< "20031217" @rlad< "20031217"	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L87	162	L86 and L85	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L88	486	370/255.ccls.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L89	388	L86 and L88	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L90	14553	node near2 order\$4	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L91	1995	370/254.ccls.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L92	1217	L86 and L91	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L93	148	L90 and L92	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37

L94	373	370/256.ccls.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L95	296	L86 and L94	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L96	1847	(node near2 order\$4) with (next follow\$4 adjacent near \$4 closest close nearby)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L97	239	370/258.ccls.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L98	216	L86 and L97	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L99	21	L96 and L92	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L100	8	L96 and L89	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L101	6	L96 and L95	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L102	1	L96 and L87	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L103	11	L96 and L98	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L104	4844427	@ad< "20031217" @rlad< "20031217"	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L105	6	(ring adj node) with link with order	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L106	4	L104 and L105	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L107	6576	(peer adj peer) p2p	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L108	147	((peer adj peer) p2p) same (node with link)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L109	89	L104 and L108	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L110	18	((peer adj peer) p2p) same (node with link) same order	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L111	17	L104 and L110	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L112	1847	(node near2 order\$4) with (next follow\$4 adjacent near \$4 closest close nearby)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L113	18	L112 and L107	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L114	9	L104 and L113	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L115	5	((peer adj peer) p2p) same (node with link) same (overlay adj network)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37

L116	45	((peer adj peer) p2p) and (node with link) and (overlay adj network)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L117	9	L116 and L104	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L118	0	(root adj node) with link with random with (choos\$4 chos \$4)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L119	284	(node with link with random)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L120	2	(root adj node) with link with random	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L121	6576	(peer adj peer) p2p	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L122	9	L121 and L119	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L123	4844427	@ed< "20031217" @rlad< "20031217"	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L124	20	(choos\$4 near2 node) with ((independent separate apart different distinct another second\$4 alternative) near (path rout \$4 map))	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L125	15	L123 and L124	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L126	4	L123 and L122	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L127	0	(choos\$4 near2 node) with (("additional") near (path rout\$4 map))	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L128	0	(choos\$4 near2 node) with ((additional) near (path rout \$4 map))	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L129	4844427	@ed< "20031217" @rlad< "20031217"	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L130	98833	"370".cls.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L131	1995	370/254.ccls.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L132	486	370/255.ccls.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37



L133	31	("6434638" or "6415280" or "6317438" or "6314491" or "6304980" or "6275888" or "6272386" or "6219710" or "6189079" or "6173374" or "6167432" or "6148383" or "6144992" or "6049823" or "6016478" or "6012096" or "5928326" or "5832195" or "5802278" or "5790553" or "5764982" or "5761421" or "4354229" or "6185618" or "6631449" or "20020147771" or "20020143855" or "20020103998" or "20020065919" or "20020114341" or "20020147815" ).pn.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L134	22	("5689706" "6782389" "6173293" "6839769" "6625604" "6748381" "6839769" "20020114341" "20020147815" "20020065919" "6636886" "6611872" "6643650" "6850987" "6667957" "6553031" "6091724" "5920566" "5918017" "6850987" "6871235" "6584075" "6088336" "5606669").pn.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L135	363	((establish start begin make create define setup construct) near (connect\$4 link)) with (node element host) with (already previous \$4 prior) with (link\$4 establish\$3 creat\$4 defin\$4 setup construct\$4)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L136	44	((((establish start begin make create define setup construct) near (connect\$4 link)) with (node element host) with (already previous \$4 prior) with (link\$4 establish\$3 creat\$4 defin\$4 setup construct\$4)) and rout \$5 and tree and fail\$4	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L137	29	L136 and L129	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L138	14	link with node with order with random	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37

L139	4844427	@ad< "20031217" @rlad< "20031217"	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L140	8	L139 and L138	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L141	2	((random\$2 near2 (choos\$4 chos\$2)) with (node link) with (order near3 node)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L142	0	((peer adj peer) same ((random near2 (choos\$4 chos\$2)) with node)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L143	8	("peer-to-peer") same ((random near2 (choos\$4 chos\$2)) with node)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L144	7	L139 and L143	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L145	1460	("peer-to-peer").ab.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L146	2827	node with link with order	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L147	21	L145 and L146	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L148	20	L147 and L139	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L149	486	370/255.ccls.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L150	373	370/256.ccls.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L151	177	370/257.ccls.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L152	239	370/258.ccls.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L153	1995	370/254.ccls.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L154	4844427	@ad< "20031217" @rlad< "20031217"	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L155	1217	L154 and L153	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L156	388	L154 and L149	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L157	296	L154 and L150	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L158	162	L154 and L151	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L159	216	L154 and L152	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L160	14553	node near2 order\$4	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37

L161	148	L160 and L155	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L162	1847	(node near2 order\$4) with (next follow\$4 adjacent near \$4 closest close nearby)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L163	21	L162 and L155	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L164	8	L162 and L156	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L165	6	L162 and L157	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L166	1	L162 and L158	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L167	11	L162 and L159	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L168	6	(ring adj node) with link with order	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L169	4844427	@ad< "20031217" @rlad< "20031217"	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L170	4	L169 and L168	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L171	6576	(peer adj peer) p2p	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L172	147	((peer adj peer) p2p) same (node with link)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L173	89	L169 and L172	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L174	18	((peer adj peer) p2p) same (node with link) same order	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L175	17	L169 and L174	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L176	1847	(node near2 order\$4) with (next follow\$4 adjacent near \$4 closest close nearby)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L177	18	L176 and L171	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L178	9	L169 and L177	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L179	5	((peer adj peer) p2p) same (node with link) same (overlay adj network)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L180	45	((peer adj peer) p2p) and (node with link) and (overlay adj network)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L181	9	L180 and L169	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37

L182	0	(root adj node) with link with random with (choos\$4 chos \$4)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L183	2	(root adj node) with link with random	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L184	284	(node with link with random)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L185	6576	(peer adj peer) p2p	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L186	9	L185 and L184	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L187	4844427	@ad< "20031217" @rlad< "20031217"	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L188	4	L187 and L186	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L189	20	(choos\$4 near2 node) with ((independent separate apart different distinct another second\$4 alternative) near (path rout \$4 map))	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L190	15	L187 and L189	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L191	0	(choos\$4 near2 node) with ((additional) near (path rout \$4 map))	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L192	0	(choos\$4 near2 node) with (("additional") near (path rout\$4 map))	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L193	22	("5689706" "6782389" "6173293" "6839769" "6625604" "6748381" "6839769" "20020114341" "20020147815" "20020065919" "6636886" "6611872" "6643650" "6850987" "6667957" "6553031" "6091724" "5920566" "5918017" "6850987" "6871235" "6584075" "6088336" "5606669").pn.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L194	4844427	@ad< "20031217" @rlad< "20031217"	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37

L195	44	((establish start begin make create define setup construct) near (connect\$4 link)) with (node element host) with (already previous \$4 prior) with (link\$4 establish\$3 creat\$4 defin\$4 setup construct\$4)) and rout \$5 and tree and fail\$4	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L196	29	L195 and L194	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L197	363	((establish start begin make create define setup construct) near (connect\$4 link)) with (node element host) with (already previous \$4 prior) with (link\$4 establish\$3 creat\$4 defin\$4 setup construct\$4)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L198	1995	370/254.ccls.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L199	486	370/255.ccls.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L200	31	("6434638" or "6415280" or "6317438" or "6314491" or "6304980" or "6275888" or "6272386" or "6219710" or "6189079" or "6173374" or "6167432" or "6148383" or "6144992" or "6049823" or "6016478" or "6012096" or "5928326" or "5832195" or "5802278" or "5790553" or "5764982" or "5761421" or "4354229" or "6185618" or "6631449" or "20020147771" or "20020143855" or "20020103998" or "20020065919" or "20020114341" or "20020147815" ).pn.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L201	98833	"370".clas.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L202	14	link with node with order with random	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L203	4844427	@ad<"20031217" @riad<"20031217"	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L204	8	L203 and L202	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L205	8	("peer-to-peer") same ((random near2 (choos\$4 chos\$2)) with node)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37

L206	7	L203 and L205	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L207	2	((random\$2 near2 (choos\$4 chos\$2)) with (node link with (order near3 node)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L208	0	((peer adj peer) same ((random near2 (choos\$4 chos\$2)) with (node)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L209	1460	("peer-to-peer").ab.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L210	2827	node with link with order	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L211	21	L209 and L210	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L212	20	L211 and L203	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L213	177	370/257.cols.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L214	4844427	@ad< "20031217" @rlad< "20031217"	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L215	162	L214 and L213	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L216	486	370/255.cols.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L217	388	L214 and L216	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L218	14553	node near2 order\$4	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L219	1995	370/254.cols.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L220	1217	L214 and L219	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L221	148	L218 and L220	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L222	373	370/256.cols.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L223	296	L214 and L222	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L224	1847	((node near2 order\$4) with (next follow\$4 adjacent near \$4 closest close nearby)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L225	239	370/258.cols.	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L226	216	L214 and L225	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L227	21	L224 and L220	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37

L228	8	L224 and L217	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L229	6	L224 and L223	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L230	1	L224 and L215	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L231	11	L224 and L226	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L232	4844427	@ed< "20031217" @rlad< "20031217"	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L233	6	(ring adj node) with link with order	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L234	4	L232 and L233	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L235	6576	(peer adj peer) p2p	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L236	147	((peer adj peer) p2p) same (node with link)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L237	89	L232 and L236	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L238	18	((peer adj peer) p2p) same (node with link) same order	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L239	17	L232 and L238	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L240	1847	(node near2 order\$4) with (next follow\$4 adjacent near \$4 closest close nearby)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L241	18	L240 and L235	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L242	9	L232 and L241	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L243	5	((peer adj peer) p2p) same (node with link) same (overlay adj network)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L244	45	((peer adj peer) p2p) and (node with link) and (overlay adj network)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L245	9	L244 and L232	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L246	0	(root adj node) with link with random with (choos\$4 chos \$4)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L247	284	(node with link with random)	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L248	2	(root adj node) with link with random	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L249	6576	(peer adj peer) p2p	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37

L250	9	L249 and L247	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L251	4844427	@ad<"20031217" @riad<"20031217"	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L252	20	((choos\$4 near2 node) with ((independent separate apart different distinct another second\$4 alternative) near (path rout \$4 map))	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L253	15	L251 and L252	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L254	4	L251 and L250	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L255	0	((choos\$4 near2 node) with (("additional") near (path rout\$4 map))	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L256	0	((choos\$4 near2 node) with ((additional) near (path rout \$4 map))	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L257	8	"20020184311" "20040044727" "20030041141" "20040064512" "20040064568"	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37
L258	17	"20020184311" "20040044727" "20030041141" "20040064512" "20040064568" "20040088347" "20040088348" "20040088646" "20040098447" "20040162871" "20040148326"	US-PGPUB; USPAT	OR	ON	2008/05/15 14:37

5/ 15/ 2008 2:51:25 PM

C:\Documents and Settings\asol\My Documents\EAST\Workspaces\10738431.wsp